

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY.DOCKET.NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
09/864,972	05/25/2001	2835	764	0112690-045	4	23	3

24

William E. Vaughan
Bell, Boyd & Lloyd LLC
P.O. Box 1135
Chicago, IL 60690-1135

CONFIRMATION NO. 3436

FILING RECEIPT



OC000000006332799

Date Mailed: 07/24/2001

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Dan Stanek, Chicago, IL;
John Kennedy, Tuscola, IL;

Domestic Priority data as claimed by applicant

RECEIVED

OCT 24 2001

OFFICE OF PETITIONS

If Required, Foreign Filing License Granted 07/23/2001

Projected Publication Date: To Be Determined - pending completion of Corrected Papers

Non-Publication Request: No

Early Publication Request: No

RECEIVED
BELL, BOYD & LLOYD
INTELLECTUAL PROPERTY DOCKET

JUL 27 2001

ATTY: _____

DOCKET #: _____

Title

Diagnostic blown fuse indicator

Preliminary Class

337



TRANSMITTAL LETTER
(General - Patent Pending)

AA

#eff 03C

Docket No.
112690-045

In re Application of: Dan Stanek, et al.

Serial No.
09/864,972

Filing Date
May 24, 2001

Examiner

Group Art Unit

Title: DIAGNOSTIC BLOWN FUSE INDICATOR

TO THE ASSISTANT COMMISSIONER FOR PATENTS:

Transmitted herewith is:

Notice To File Corrected Application Papers; Transmittal of Formal Drawings; 3 sheets of drawings; Petition for Extension of Time; check for \$110.00 ; and return receipt postcard

in the above identified application.

- No additional fee is required.
- A check in the amount of \$110.00 is attached.
- The Assistant Commissioner is hereby authorized to charge and credit Deposit Account No. 02-1818 as described below. A duplicate copy of this sheet is enclosed.
 - Charge the amount of
 - Credit any overpayment.
 - Charge any additional fee required.




Signature

Dated: October 10, 2001

Robert W. Connors
Reg. No. 46,639
Bell, Boyd & Lloyd LLC
P.O. Box 1135
Chicago, IL 60690

I certify that this document and fee is being deposited on 10/10/01 with the U.S. Postal Service as first class mail under 37 C.F.R. 1.8 and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.




Signature of Person Mailing Correspondence

Robert J. Buccieri

Typed or Printed Name of Person Mailing Correspondence

CC:



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/864,972	05/26/2001	Dan Stanek	0112690-045

24

William E. Vaughan
Bell, Boyd & Lloyd LLC
P.O. Box 1135
Chicago, IL 60690-1135

CONFIRMATION NO. 3436
FORMALITIES LETTER



OC000000006332800

Date Mailed: 07/24/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);


*A copy of this notice **MUST** be returned with the reply.*

Meseret H. Kene

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

TRANSMITTAL OF FORMAL DRAWINGSDocket No.
112690-045In Re Application Of: **Dan Stanek, et al.**

Serial No.	Filing Date	Batch No.	Examiner	Art Unit
09/864,972	May 24, 2001			

Invention: **DIAGNOSTIC BLOWN FUSE INDICATOR**

Address to:

Assistant Commissioner for Patents
Washington, D.C. 20231

Transmitted herewith are:

3 sheets of formal drawing(s) for this application.

Each sheet of drawing indicates the identifying indicia suggested in 37 CFR Section 1.84(c)
on the reverse side of the drawing.*Signature***Robert W. Connors**

Reg. No. 46,639


Bell, Boyd & Lloyd LLC

P.O. Box 1135

Chicago, IL 60690-1135

Dated: October 10, 2001

I certify that this document and attached formal drawings
are being deposited on 10/10/01 with the
U.S. Postal Service as first class mail under 37 C.F.R. 1.8
and addressed to the Assistant Commissioner for Patents,
Washington, D.C. 20231

*Signature of Person Mailing Correspondence***Robert J. Buccieri***Typed or Printed Name of Person Mailing Correspondence*



Creation date: 10-17-2003

Indexing Officer: GMUNGAI - GATHONI MUNGAI

Team: OIPEBackFileIndexing

Dossier: 09864972

Legal Date: 12-17-2001

No.	Doccode	Number of pages
1	PETDEC	3

Total number of pages: 3

Remarks:

Order of re-scan issued on